

## *Dendrobium*, survey on a natural medicine with multidimensional uses and pharmacological characteristics

Haiyan Zhang<sup>1\*</sup>, Yue Kuang<sup>1</sup>, Mohamad Hesam Shahrajabian<sup>2\*</sup>

<sup>1</sup>College of Agriculture, Heilongjiang Bayi Agricultural University, Daqing, China.

<sup>2</sup>Department of Agronomy and Plant Breeding, Isfahan (Khorasgan) Branch, Islamic Azad University, Isfahan 81551-39998, Iran.

\*Corresponding authors: zhanghy51@126.com; hesamshahrajabian@gmail.com

**Abstract:** Genus *Dendrobium* consisting of nearly 1000 species which is basically found in tropical and subtropical areas. The genus *Dendrobium* have been utilized in traditional Chinese medicine for around 2000 years. The systematic review of manuscripts and articles dedicated to traditional medicine in China has been carried out. The surveys of interest were indexed in “SciFinder”, “PubMed”, “Web of Science”, and “Scopus”. Relevant literature has been obtained using the keywords “Traditional Chinese Medicine”, “*Dendrobium*”, “Anti-cancer activity”, “Antioxidant activity”, “Polysaccharides”, “Alkaloids”, “Antibacterial activity”, “Anti-fungal activity”, “Bibenzyls”, and “Glycosides”. This review aims to promote utilization of *Dendrobium* which is an important part of traditional Chinese medicine because of its different pharmaceutical and medicinal properties, lastly, future challenges and research directions are discussed. Furthermore, clinical trials studies promote researches to highlight and focus on the scope of application of traditional Chinese medicine in growing system of medicine.

**Keywords:** *Dendrobium*; anti-cancer activity; alkaloids; polysaccharides; antioxidant activity.

### INTRODUCTION

*Dendrobium* is an epiphytic herb, polymorphic, most are lithophytic, and a few are terrestrial (Marmitt, Shahrajabian, 2021; Sun et al., 2021c; Shahrajabian, Sun, 2023a,b). Genus name originates from the Greek words *dendron* meaning a tree and *bios* meaning life (Shahrajabian, Sun, 2023a,b). *Dendrobium* is one of the largest genera among Orchidaceae family plants about 1500 species spread all over the world, and *Dendrobium*, as the traditional Chinese medicine (TCM) (Shahrajabian et al., 2022a,b; Li et al., 2023), makes wonderful contributions to public healthcare and promotes the development of TCM (Wu et al., 2016a,b; Wang et al., 2019). Their stems can be: 1: erecting with a knobby rhizome, 2: rhizomatous, 3: knobby new stems arise from the base of old stems (Shahrajabian et al.,

2021a,b,c,d). They have an extensive distribution and great alterations in floral structure and growth characteristics, and they may be deciduous or evergreen (Shahrajabian et al., 2020a,b,c), and both types may need a dormant rest phase in winter (Sun et al., 2021a,b). Traditional application of the leaves of 16 *Dendrobium* species by native people in Bangladesh, Australia, India, Korea, Indonesia, Myanmar, Liberia, Nepal, and Malaysia were reported (Sun et al., 2022a,b; Wu et al., 2023). In China, shi hu and tie pi shit hu are well-known traditional medicines and are recorded in the Chinese Pharmacopoeia (Zhang et al., 2018; Wang, 2021; Shahrajabian et al., 2023). *Dendrobium nobile* Lindl. is a famous medicinal food that is advantageous for human health, and modern pharmacological research indicates that *Dendrobium nobile* polysaccharides and alkaloids are regarded to be the chief active constituents



(Yang et al., 2014; Cakova et al., 2017; Zheng et al., 2020), which have the main roles of regulating immunomodulatory activities, and anti-tumor, anti-hyperglycemic, neuro-protective, and antiviral impacts (Li et al., 2017a,b; Zhang et al., 2019a,b,c). Modern pharmacological researches have proved that *Dendrobium* has anti-tumor, anti-aging, anti-fatigue, gastrointestinal protective, antioxidant, liver protection, antibacterial, anti-inflammatory, anti-diabetic, antihypertensive, cardioprotective, immunomodulatory, neuroprotective, anti-platelet aggregation, antifungal, anti-osteoporosis, etc. activity (Nie et al., 2020; Shahrajabian, 2021; Fu et al., 2023; Sun, Shahrajabian, 2023a,b). Many review articles, academic papers and manuscripts have been discussed and compiled in this manuscript using the following online databases such as Pubmed, Scopus, Science Direct, Web of Science and Google Scholar. The literature was scanned using the following keywords such as *Dendrobium*, antioxidant activity, anti-microbial activity, anti-bacterial activity, anti-cancer activity, anti-tumor activity, traditional Chinese medicine, pharmaceutical benefits, anti-inflammatory activities. The most important species of *Dendrobium* are *D. nobile* Lindl., *D. kingianum* Bidwill ex Lindl., *D. catenatum* Lindl., *D. lindleyi* Steud., *D. anosmum* Lindl., *D. speciosum* Sm., *D. moniliforme* (L.) Sw., *D. aphyllum* (Roxb.) C.E.C.Fisch., *D. densiflorum* Schltr., *D. thyrsoflorum* B.S.Williams, *D. loddigesii* Rolfe, *D. farmeri* Paxton, *D. chrysotoxum* Lindl., *D. fimbriatum* Hook., *D. moschatum* (Buch.-Ham.) Sw., *D. parishii* H.Low, *D. amabile* (Lour.) O'Brien, *D. antenatum* Lindl., *D. cuthbertsonii* F.Muell., *D. sulcatum* Lindl., *D. macrophyllum* A.Rich., *D. tetragonum* A.Cunn. ex Lindl., *D. bellatulum* Rolfe, *D. taurinum* Lindl., *D. linguiforme* Sw., *D. chrysanthum* Wall. ex Lindl., *D. unicum* Seidenf., *D. formosum* Roxb. ex Lindl., *D. bracteosum* Rchb.f., *D. hekouense* Z.J.Liu & L.J.Chen, *D. crepidatum* Lindl. & Paxton, *D. senile* C.S.P.Parish & Rchb.f., *D. infundibulum* Lindl., *D. heterocarpum* Wall. ex Lindl., *D. lituiflorum* Lindl., *D. pulchellum* Roxb. ex Lindl., *D. devonianum* Paxton, *D. findlayanum* C.S.P.Parish & Rchb.f., *D. tortile* Lindl., *D. atroviolaceum* Rolfe, *D. williamsonii* Day & Rchb.f., *D. falconeri* Hook., and *D. aduncum* Lindl.

The aim of this review manuscript is a survey of chemical compounds, and pharmaceutical benefits of *Dendrobium*, especially by considering traditional medicinal sciences in both *in vitro* and *in vivo* experiments.

#### CHEMICAL CONSTITUENTS AND ACTIVE INGREDIENTS OF *DENDROBIUM*

In the past decades, several constituents have been extracted and isolated from the *Dendrobium* species, especially phenanthrenes, polysaccharides, phenolics, alkaloids, and bibenzyls, whose biological functions and beneficial health impacts have been extensively explored (Hwang et al., 2010; Chaotham et al., 2014; Li et al., 2014;

Klongkumnuankarn et al., 2015; Huang et al., 2016, 2019; Zhang et al., 2019b,c). Zhang et al. (2022) isolated nineteen compounds from *Dendrobium chrysanthum*, including four phenol, three monoterpenes, three alkaloid, three lignans and six phenanthrenes. In their experiments three compounds carbofuran and (6*R*,7*aR*)-7*a*-hydroxy-3,6-dimethyl-5,6,7,7*a*-tetrahydrobenzofuran-2(4*H*)-one were reported from the Kingdom Plantae for the first time (Chaves et al., 2016). The most notable functions of *Dendrobium's* chemical components are presented in Table 1.

#### ANTI-INFLAMMATORY ACTIVITY

*Dendrobium* and its active components show hepatoprotective effect, and the hepatoprotective impact of *Dendrobium* is associated to its oxidative and inflammatory regulation. Stimulation of mitochondrial homeostasis is active in *Dendrobium*-mediated hepatoprotection, it shows antitumor activity in liver cancer, and it has a therapeutic potential for liver disorders (Zhang et al., 2008b). Kongkatitham et al. (2018) and Lin et al. (2011) proved that (-)-Dendroparishioid indicated potent anti-inflammatory and antioxidant effects, and it increased SOD, CAT and GPx activities in hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) treated RAW264.7 cells, decreased TNF- $\alpha$  and NO secretion in lipopolysaccharide (LPS) treated RAW264.7 cells, and decreased iNOS and COX-2 expression in LPS treated RAW264.7 cells. Hu et al. (2020) and Shang et al. (2021) reported that six pairs of octahydroindolizine-type alkaloid enantiomers were separated from *Dendrobium crepidatum*, enantiomers revealed important enantioselectivity in anti-inflammatory activity, and dimeric alkaloid significantly reduced LPS-induced acute lung injury in mice. Lin et al. (2013) and Li et al. (2019b) concluded that *Dendrobium huoshanense* stems ethanol extract could significantly inhibit LPS-induced production of NO, IL-1 $\beta$ , and TNF- $\alpha$  which proposed that *D. huoshanense* stems ethanol extract and bibenzyls 1-4 might be well progressed as therapeutic agent to prevent inflammatory diseases. Liang et al. (2019a) concluded that *Dendrobium officinale* polysaccharides (DOPS) have the considerable therapeutic impacts on learning and memory disabilities and its mechanism may be associated to activate Nrf2/HO-1 pathway to decrease oxidative stress and neuro-inflammation. Zeng et al. (2018) also supported the fact that *Dendrobium* as folk medicine, exerted its medicinal function relatively by its inhibitory impacts on inflammation by significantly reducing TNF- $\alpha$ , IL-6 and MCP-1 production. The treatment of *Dendrobium* polysaccharides notably decreased hepatic damage in APAP-treated mice and db/db mice through antioxidant and anti-inflammatory functions (Yang et al., 2006; Li et al., 2018; Liang et al., 2018; Wang et al., 2020; Wu et al., 2020). *Dendrobium* polysaccharides also reduced ethanol-induced acute hepatic injury and lessened AST levels in serum and hepatic tissue, and concurrently inhibited the production of inflam-

Table 1. The most important functions of *Dendrobium*'s chemical components.

Chemical components	Important functions	Reference
Alkaloids	Alkaloids are the first ingredients extracted and purified from <i>Dendrobium</i> , which are also main active components.	Chaves et al. (2016)
	Alkaloids have an extensive range of pharmacological activities including anti-inflammatory, antioxidant, anti-anxiety, and anti-depressant characteristics, as well as neuroprotective impacts.	Li et al. (2019a,b)
	Recent studies have shown that <i>Dendrobium</i> alkaloids also has an important function in protecting the liver.	Wang et al. (2012) Wang et al. (2016) Zhou et al. (2020)
Polysaccharides	Polysaccharides have been discovered to be one of the chief active components in <i>Dendrobium</i> plants, indicating immunomodulatory, antiviral, antitumor activities, and hepatoprotective.	Wang et al. (2010) Tian et al. (2013) Pan et al. (2014) Liu et al. (2019) Fan et al. (2020)
	<i>Dendrobium</i> also contains the following glycosides that have been demonstrated to have biological activities: dendroside C, dendroside A, dendroside A, dendronobiloside B, dendroside E, narcissin, 4-methoxy-2,5,9R-trihydroxy-9,10-dihydrophenanthrene-2-O- $\beta$ -D-glucopyranoside and 4-hydroxy-3,5-dimethoxyphenyl- $\beta$ -D-glucopyranoside.	Zhao et al. (2001) Ye and Zhao (2002) Yang et al. (2007)
Phenanthrenes	The phenanthrene compounds identified from <i>Dendrobium</i> up to now include 2,8-dihydroxy-3,4,7-trimethoxyphenanthrene, 2,3,5-trihydroxy-4,9-dimethoxyphenanthrene, flavanthrinin, 2,5-dihydroxy-4,9-dimethoxyphenanthrene, 3,7-dihydroxy-2,4-dimethoxyphenanthrene, moscatin, lusianthridin, flavantridin, condusarin, phochinenin, 4,5-dihydroxy-2-methoxy-9,10-dihydrophenanthrene, 6,7-dihydroxy-2-methoxy-1,4-phenanthrene-dione, ephemeranthol, hircinol, nudol, and ephemeranthol-C, coelonin, 2,4,5-triol-7-methoxy-9,10-dihydrophenanthrene, denbinobin, eriantridin, 2,5-diol-3,4,8-tri-methoxyphenanthrene, and 4,7-dihydroxy-2-methoxy-9,10-dihydrophenanthrene.	Lee et al. (1995) Zhang et al. (2008a,b) Song et al. (2012) Kim et al. (2015) Zhou et al. (2016) De Natale et al. (2020)
Dibenzyls	Bioactivity-directed fractionation of 60% ethanolic extract of <i>Dendrobium</i> stems using the 2,2-diphenyl-1-picrylhydrazyl (DPPH) assay cause the isolation of 3-hydroxy-5-methoxy dibenzyl, batatasin, 4,5,4'-trihydroxy-3,3'-dimethoxybibenzyl, tristin, moscatilin, 3-methylgigantol, as well as nobilin B, nobilin A, nobilin E, nobilin C, nobilin D, chrysotobibenzyl, chrysotoxin, erianin, and crepidatin.	Zhang et al. (2007) Zhang et al. (2008a,b)

matory cytokines such as IL-1 $\beta$  and TNF- $\alpha$ , and inhibited NF- $\kappa$ B phosphorylation (Yang et al., 2020a,b). Lipidomics analysis in various studies revealed that *Dendrobium* polysaccharides could improve oxidative stress, inflammation, and signs of lipid accumulation in the liver by decreasing the disorders of fatty acids, glycerolipids and glycerides (Zheng et al., 2017; Zhang et al., 2020).

#### ANTIVIRAL ACTIVITY

Polysaccharides from *Dendrobium nobile* Lindl. have been proved to have antiviral activities (Li et al., 2020; Huang et al., 2020). Several components in *Dendrobium* sp. had been considered to exert pharmacological activities to treat common COVID-19-related signs, and on the basis of the binding mode, DB36 bound with the spike protein at the host receptor, angiotensin-converting enzyme 2 (ACE2) binding motif, leading to antiviral activity (Jiaranaikulwanitch et al., 2020). Dendrobine indicates potential

to be developed as the promising factors to treat influenza virus infection, and it could bind to the highly conserved region of viral nucleoprotein (NP), subsequently restraining nuclear export of viral NP and its oligomerization (Li et al., 2017b).

#### PROTECTIVE EFFECTS OF *DENDROBIUM* ON THE LIVER (HEPATOPROTECTIVE EFFECTS)

The therapeutic benefits of *Dendrobium* for liver diseases include drug-induced liver injury, acute hepatic injury, alcoholic liver injury, liver fibrosis, non-alcoholic fatty liver disease and liver tumors (Pan et al., 2012; Lin et al., 2018; Li et al., 2019a,b; Zhou et al., 2020). Research has also found that *Dendrobium* polysaccharides show strong radical scavenging properties, playing a direct antioxidant function in the process of liver protection. *Dendrobium* polysaccharides can also significantly prevent alcoholic liver injury in mice, and the process may be associated to

*Dendrobium*'s participation in ethanol metabolism pathway (Wang et al., 2014, 2015). In non-alcoholic fatty liver disease (NAFLD) model, *Dendrobium* extract was considered to improve lipid droplet accumulation and stimulate mitochondrial function, so reducing liver injury (Lei et al., 2020). Furthermore, *Dendrobium* polysaccharides can relieve lipid accumulation in the liver of type II diabetic rats (Yang et al., 2020a,b). Another study has also indicated that *Dendrobium* has significantly inhibitory impacts on liver tumors or hepatocellular cancer cells (Xing et al., 2018).

#### BRAIN PATHOLOGY AND *DENDROBIUM* SPECIES

The effects of *Dendrobium* species on brain pathology are on neuronal injury, brain hypoxia-ischemia, brain inflammation, Huntington's disease, epileptic seizures, depression anxiety, Parkinson's disease, diabetic neuropathy and Alzheimer's disease (Hu et al., 2008; Wu et al., 2016a; Wang et al., 2023). Rutin, a flavonoid glycoside usually found in *Dendrobium* species, and it was discovered that rutin inhibited neuroinflammation and suppressed NLRP3 inflammasome activation to decrease IL-18, IL-1 $\beta$ , and TNF- $\alpha$  in rat spinal cord injured model (Wu et al., 2016b,c). Erianin derived from the extract of *D. chrysotoxum* (Xiang et al., 2021; Zhang et al., 2021) directly suppressed NLRP3 inflammasome activation, indicating that erianin may serve as the potential novel therapeutic factor against NLRP3-driven brain inflammation (Li, Hong, 2020; Liu et al., 2020).

*Dendrobium* species have been proved for their hypoglycemic and lipid-lowering impacts (Kuang et al., 2020; Qu et al. 2021). Among active ingredients discovered in *Dendrobium* species, moscatilin has demonstrated potential neuroprotective and anti-diabetes effects (Yoon et al., 2011). *Dendrobium* alkaloids could increase learning and memory function in elderly normal mice (Nie et al., 2016; Kesh et al., 2021). A monoterpenoid lactone loliolide is found in *D. huoshanense* stems, and it improved cell viability, protected mitochondrial function, decreased oxidative stress and apoptosis in 6-OHDA-exposed SH-SY5Y cells (Jiang et al., 2017; Silva et al., 2021). *D. officinale* flos had antidepressant-like impacts, and its ethanol extract alleviated depression-like behaviors in CUMS-exposed mice (Zhu et al., 2021). *D. officinale* polysaccharide reduced TNF- $\alpha$  and IL-1 $\beta$  expression, and inhibited p-ERK1/2, p-JNK, and p38 in hippocampus (Chen et al., 2017).

#### ANTIBACTERIAL ACTIVITY

*Dendrobium* has great capability as antimicrobial agent against selected pathogenic microorganisms because of the presence of selected flavonoid and alkaloid compounds (Sandrasagaran et al., 2014). Polysaccharide is the characteristics bioactive ingredient of *Dendrobium*, which

indicates antibacterial activity (Wang et al., 2022a,b; Shahrajabian, Sun, 2023a,b,c,d,e). Methanol extract from *Dendrobium* showed antimicrobial impacts (Paudel et al., 2020; Shahrajabian et al., 2021a,b,c,d; Sun, Shahrajabian, 2023a,b; Zhang et al., 2024). Chua et al. (2022) reported that antimicrobial activities may be related to constituents like alkaloids, phenols, flavonoids, saponins, terpenoids and tannins.

#### ANTI-TUMOR ACTIVITY

Two main polysaccharides present in *Dendrobium* namely (1 $\rightarrow$ 4)- $\beta$ -d-Glcp and *O*-acetylated (1 $\rightarrow$ 4)- $\beta$ -d-Manp, has shown anti-tumor characteristics and they have potential to be a functional agent for lung cancer prevention (Ye et al., 2021). *Dendrobium officinale* polysaccharides can modulate immune responses and inflammation to decrease experimental colitis, and they can improve the metabolic ability of tumor infiltrated CD8<sup>+</sup> cytotoxic T lymphocytes (CTLs) and decreased the expression of PD-1 on CTLs to enhance the anti-tumor immune response in the tumor microenvironments (TME) (Liang et al., 2019a,b,c; Wang et al., 2022a,b). It has been reported that cultivated *Dendrobium huoshanense* stem polysaccharide (cDHPS) inhibits tumor growth of murine forestomach carcinoma (MFC) tumor-bearing mice, and induces tumor cell apoptosis, inhibits tumor angiogenesis, and increases T cell immune response of MFC tumor-bearing mice (Liu et al., 2021a,b). *Dendrobium officinale* includes of D-mannose, D-glucose, and D-galactose in a mole ration of 3:2:1, and it possesses antitumor and immunomodulation activity, and could inhibit the growth of S180 tumors by improving the tumor immune microenvironment (Sun et al., 2022a,b).

#### ANTIOXIDANT ACTIVITY

Antioxidant activity plays an important role in the pharmacological potential of *Dendrobium*, which can inhibit the damage of reactive oxygen species (Li et al., 2008; Liang et al., 2019a,b; Paul, Kumaria, 2020; Cui et al., 2023). It has a definite antioxidant capacity, especially associated to its polysaccharide content and relative high molecular mass, and the rich antioxidant activity can meaningfully influence their effectiveness as functional food supplements and medicines (Fan et al., 2009; Luo et al., 2009, 2010; Moretti et al., 2013; Liu et al., 2021a,b; Shahrajabian, Sun, 2022; Rahamtulla et al., 2023). The leaves of *Dendrobium* may be developed as antioxidant sources for health food and medicinal resources, and the major flavonoid ingredient of the leaves was rutin (Rahamtulla et al., 2023). Tian et al. (2013) reported the antioxidant activities of a polysaccharide fraction (DHP1A) extracted from *Dendrobium*, and it extensively consisted of mannose (Man), glucose (Glc), and a trace of galactose (Gal) with a molecular weight of 6700 Da. Luo et al. (2016) also showed

that glucose and mannose are the main constituent of *Dendrobium officinale* polysaccharide, and the polysaccharide has antioxidant property. Zhang et al. (2019a) indicated that flowers of *Dendrobium* are new food component and exhibit potential antioxidant characteristics, 1-O-caffeoyl- $\beta$ -D-glucoside, isoquercitrin and rutin were the dominant antioxidants in the flowers. *Dendrobium* extracts showed high inhibition of monophenolase activity in melanin synthesis, and exhibited higher tyrosinase inhibitory activity than kojic acid (Fang et al., 2015; Wu et al., 2016a,b,c; Li et al., 2017a,b; Athipornchai, Jullapo, 2018; Nie et al., 2018; Zhang et al., 2017, 2019b,c; Kim et al., 2020). The methanol leaf extract showed good anticancer and antioxidant activity against the cell lines tested when compared to ethyl acetate extract, and there is a positive connection between the anticancer and antioxidant activity of leaf extracts (Kim et al., 2020).

### CONCLUSION

Traditional herbal medicine (THM) has a long history, making them accepted and trusted by a significant number of people in the world. *Dendrobium* is a large and diverse genus of orchids with different cultivation needs. *Dendrobium* orchids are primarily epiphytic, growing in nature on the branches and trunks of trees. It is the second largest genus of Orchidaceae, which is a perennial herbaceous plant, and there are more than 1500 species of *Dendrobium* in the world, mainly distributed in tropical Southeast Asia and Oceania. The most important chemical constituents of *Dendrobium* are alkaloids, phenolics, polysaccharides, bibenzyls, glycosides and phenanthrenes. Alkaloids have an extensive range of pharmacological activities including anti-inflammatory, antioxidant, anti-anxiety, and anti-depressant characteristics, as well as neuroprotective impacts. Polysaccharides have been discovered to be one of the chief active components in *Dendrobium* plants, indicating antitumor, antiviral, immunomodulatory and hepatoprotective activities. The most notable pharmacological benefits of *Dendrobium* are anti-tumor, antioxidant and anti-hypertensive, neuroprotective impacts, anti-inflammatory, anti-bacterial, anti-fungal effects, liver protection and anti-platelet aggregation activity. It is suggested that *Dendrobium* cultivation has a great potency to connect between organic life and traditional Chinese medicine. Future studies should address the methodologic parameters are warranted to evaluate the therapeutic advantages of *Dendrobium* as Chinese herbal medicine for different diseases.

### REFERENCES

- Athipornchai A., Jullapo N., 2018. Tyrosinase inhibitory and antioxidant activities of Orchid (*Dendrobium* spp.). South African Journal of Botany, 119: 188-192, <https://doi.org/10.1016/j.sajb.2018.09.003>.
- Cakova V., Bonte F., Lobstein A., 2017. *Dendrobium*: sources of active ingredients to treat age-related pathologies. Aging and Disease, 8: 827-849, doi: 10.14336/AD.2017.0214.
- Chaotham C., Pongrakhananon V., Sritularak B., Chanvorachote P., 2014. Bibenzyl, from *Dendrobium ellipsophyllum* inhibits epithelial-to-mesenchymal transition and sensitizes lung cancer cells to anoikis. Anticancer Research, 34: 1931-1938.
- Chaves S.K., Feitosa C.M., da S. Araújo L., 2016. Alkaloids pharmacological activities-prospects for the development of phytopharmaceuticals for neurodegenerative diseases. Current Pharmaceutical Biotechnology, 17: 629-635, doi: 10.2174/138920101707160503201541.
- Chen L., Liu X., Wang H., et al., 2017. Gastrodin attenuates pentylentetrazole-induced seizures by modulating the mitogen-activated protein kinase-associated inflammatory responses in mice. Neuroscience Bulletin, 33(3): 264-272, <https://doi.org/10.1007/s12264-016-0084-z>.
- Chua R.W., Song K.P., Ting A.S.Y., 2022. Antimicrobial activities and phytochemical screening of endophytic fungi isolated from *Cymbidium* and *Dendrobium* orchids. South African Journal of Botany, 151(Part A): 909-918, <https://doi.org/10.1016/j.sajb.2022.11.015>.
- Cui H., Shahrajabian M.H., Kuang Y., Zhang H.Y., Sun W., 2023. Heterologous expression and function of cholesterol oxidase: A review. Protein and Peptide Letters, 30(7): 531-540, <https://doi.org/10.2174/0929866530666230525162445>.
- De Natale A., Pollio A., De Marco A., Luongo G., Di Fabio G., Zarrelli A., 2020. Phenanthrene dimers: promising source of biologically active molecules. Current Topics in Medicinal Chemistry, 22: 939-956.
- Fan Y., He X., Zhou S., Luo A., He T., Chun Z., 2009. Composition analysis and antioxidant activity of polysaccharide from *Dendrobium denneanum*. International Journal of Biological Macromolecules, 45(2): 169-173, <https://doi.org/10.1016/j.ijbiomac.2009.04.019>.
- Fan Y., Yu Q., Wang G., Tan J., Liu S., Pu S., Chen W., Xie P., Zhang Y., Zhang J., Liao Y., Luo A., 2020. Effects of non-thermal plasma treatment on the polysaccharide from *Dendrobium nobile* Lindl. and its immune activities *in vitro*. International Journal of Biological Macromolecules, 153: 942-950, <https://doi.org/10.1016/j.ijbiomac.2019.10.260>.
- Fang H., Hu X., Wang M., Wan W., Yang Q., Sun X., Gu Q., Gao X., Wang Z., Gu L., Chen C.-Y.O., Wei X., 2015. Antiosmotic and antioxidant activities of gigantol from *Dendrobium auranticacum* var. *denneanum* against cataractogenesis in galactosemic rats. Journal of Ethnopharmacology, 172: 238-246, <https://doi.org/10.1016/j.jep.2015.06.034>.
- Fu X., Chen S., Xian S., Wu Q., Shi J., Zhou S., 2023. *Dendrobium* and its active ingredients: Emerging role in liver protection. Biomedicine and Pharmacotherapy, 157: 114043, <https://doi.org/10.1016/j.biopha.2022.114043>.
- Hu J.M., Chen J.J., Yu, H., et al., 2008. Two novel bibenzyls from *Dendrobium trigonopus*. Journal of Asian Natural Products Research, 10(7): 647-651, <https://doi.org/10.1080/10286020802133605>.
- Hu Y., Yang H., Ding X., Liu J., Wang X., Hu L., Liu M., Zhang C., 2020. Anti-inflammatory octahydroindolizine alkaloid enantiomers from *Dendrobium crepidatum*. Bioorganic Chemistry, 100: 103809, <https://doi.org/10.1016/j.bioorg.2020.103809>.
- Huang K., Li Y., Tao S., Wei G., Huang Y., Chen D., Wu C., 2016. Purification, characterization and biological activity of

- polysaccharides from *Dendrobium officinale*. *Molecules*, 21: 701, <https://doi.org/10.3390/molecules21060701>.
- Huang S., Wu Q., Liu H., Ling H., He Y., Wang C., Wang Z., Lu Y., Lu Y., 2019. Alkaloids of *Dendrobium nobile* Lindl altered hepatic lipid homeostasis via regulation of bile acids. *Journal of Ethnopharmacology*, 241: 111976, doi: 10.1016/j.jep.2019.111976.
- Huang S., Chen F., Chen H., Huang G., 2020. Modification and application of polysaccharide from traditional Chinese medicine such as *Dendrobium officinale*. *International Journal of Biological Macromolecules*, 157: 385-393, <https://doi.org/10.1016/j.ijbiomac.2020.04.141>.
- Hwang J.S., Lee S.A., Hong S.S., Han X.H., Lee C., Kang S.J., Lee D., Kim Y., Hong J.T., Lee M.K., Hwang B.Y., 2010. Phenanthrenes from *Dendrobium nobile* and their inhibition of the LPS-induced production of nitric oxide in macrophage RAW 264.7 cells. *Bioorganic and Medicinal Chemistry Letters*, 20: 3785-3787.
- Jiang N., Fan L.X., Yang Y.J., et al., 2017. Antidepressant effects of the extract of *Dendrobium nobile* Lindl on chronic unpredictable mild stress-induced depressive mice. *Acta Physiologica Sinica*, 69(2): 159-166, <https://doi.org/10.13294/j.aps.2017.0006>.
- Jiaranaikulwanitch J., Yooin W., Chutiwitoonchai N., Thitikornpong W., Sritularak B., Rojsitthisak P., Vajragupta O., 2020. Discovery of natural lead compound from *Dendrobium* sp. against SARS-CoV-2 infection. *Pharmaceuticals (Basel)*, 15(5):620, <https://doi.org/10.3390/ph15050620>.
- Kesh S., Kannan R.R., Balakrishnan A., 2021. Naringenin alleviates 6-hydroxydopamine induced Parkinsonism in SHSY5Y cells and zebrafish model. *Comparative Biochemistry and Physiology C Toxicology and Pharmacology*, 239: 108893, <https://doi.org/10.1016/j.cbpc.2020.108893>.
- Kim J.H., Oh S.Y., Han S.B., Uddin G.M., Kim C.Y., Lee J.K., 2015. Anti-inflammatory effects of *Dendrobium nobile* derived phenanthrenes in LPS-stimulated murine macrophages. *Archives of Pharmacal Research*, 38: 1117-1126.
- Kim S., Jo K., Byun B.S., Han S.H., Yu K.-W., Suh H.J., Hong K.-B., 2020. Chemical and biological properties of puffed *Dendrobium officinale* extracts: Evaluation of antioxidant and anti-fatigue activities. *Journal of Functional Foods*, 73: 104144, <https://doi.org/10.1016/j.jff.2020.104144>.
- Klongkumnuankarn P., Busaranon K., Chanvorachote P., Sritularak B., Jongbunprasert V., Likhitwitayawuid K., 2015. Cytotoxic and antimigratory activities of phenolic compounds from *dendrobium brymerianum*. *Evidence Based Complementary and Alternative Medicine*, 2015: 350410.
- Kongkatitham V., Muangnoi C., Kyokong N., Thaweese W., Lickitwitayawuid K., Rojsitthisak P., Sritularak B., 2018. Anti-oxidant and anti-inflammatory effects of new bibenzyl derivatives from *Dendrobium parishii* in hydrogen peroxide and lipopolysaccharide treated RAW264.7 cells. *Phytochemistry Letters*, 24: 31-38, <https://doi.org/10.1016/j.phytol.2018.01.006>.
- Kuang M.T., Li J.Y., Yang X.B., et al., 2020. Structural characterization and hypoglycemic effect via stimulating glucagon-like peptide-1 secretion of two polysaccharides from *Dendrobium officinale*. *Carbohydrate Polymers*, 241: 116326, <https://doi.org/10.1016/j.carbpol.2020.116326>.
- Lee Y.H., Park J.D., Baek N.I., Kim S.I., Ahn B.Z., 1995. *In vitro* and *in vivo* antitumoral phenanthrenes from the aerial parts of *Dendrobium nobile*. *Planta Medica*, 61(2): 178-180.
- Lei S.S., Zhang N.Y., Zhou F.C., He X., Wang H.Y., Li L.Z., Zheng X., Dong Y.J., Luo R., Li B., Jin H.Y., Yu Q.X., Lv G.Y., Chen S.H., 2020. *Dendrobium officinale* regulates fatty acid metabolism to ameliorate liver lipid accumulation in NAFLD mice. *Evidence Based Complementary and Alternative Medicine*, 2021: 6689727.
- Li B., Wei J., Wei X., Tang K., Liang Y., Shu K., Wang B., 2008. Effect of sound wave stress on antioxidant enzyme activities and lipid peroxidation of *Dendrobium candidum*. *Colloids and Surfaces B: Biointerfaces*, 63(2): 269-275, <https://doi.org/10.1016/j.colsurfb.2007.12.012>.
- Li X.L., Xiao J.J., Zha X.Q., Pan L.H., Asghar M.N., Luo J.P., 2014. Structural identification and sulfated modification of an antiglycation *Dendrobium huoshanense* polysaccharide. *Carbohydrate Polymer*, 106: 247-254.
- Li L.S., Lu Y.L., Nie J., Xu Y.Y., Zhang W., Yang W.J., Gong Q.H., Lu Y.F., Lu Y., Shi J.S., 2017a. *Dendrobium nobile* Lindl alkaloid, a novel autophagy inducer, protects against axonal degeneration induced by A $\beta_{25-35}$  in hippocampus neurons *in vitro*. *CNS Neuroscience and Therapeutics*, 23: 329-340.
- Li R., Liu T., Liu M., Chen F., Liu S., Yang J., 2017b. Anti-influenza A virus activity of dendrobine and its mechanism of action. *Journal of Agriculture and Food Chemistry*, 65(18): 3665-3674, <https://doi.org/10.1021/acs.jafc.7b00276>.
- Li X.W., Chen H.P., He Y.Y., Chen W.L., Chen J.W., Gao L., Hu H.Y., Wang J., 2018. Effects of rich-polyphenols extract of *Dendrobium loddigesii* on anti-diabetic, anti-inflammatory, anti-oxidant, and gut microbiota modulation in db/db mice. *Molecules*, 23: 3245, doi: 10.3390/molecules23123245.
- Li S., Zhou J., Xu S., Li J., Liu J., Lu Y., Shi J., Zhou S., Qu Q., 2019a. Induction of Nrf2 pathway by *Dendrobium nobile* Lindl. alkaloids protects against carbon tetrachloride induced acute liver injury. *Biomedicine and Pharmacotherapy*, 117: 109073, doi: 10.1016/j.biopha.2019.109073.
- Li Q.-M., Jiang H., Zha Z.-Q., Wu D.-L., Pan L.-H., Duan J., Liu J., Luo J.-P., 2019b. Anti-inflammatory bibenzyls from the stems of *Dendrobium huoshanense* via bioassay guided isolation. *Natural Product Research*, 34(4): 563-566, <https://doi.org/10.1080/14786419.2018.1489394>.
- Li X.L., Hong M., 2020. Aqueous extract of *Dendrobium officinale* confers neuroprotection against hypoxic-ischemic brain damage in neonatal rats, Kaohsiung. *The Journal of Medical Sciences*, 36(1): 43-53, <https://doi.org/10.1002/kjm2.12139>.
- Li Z., Xiang J., Hu D., Song B., 2020. Naturally potential antiviral agent polysaccharide from *Dendrobium nobile* Lindl. *Pesticide Biochemistry and Physiology*, 167: 104598, <https://doi.org/10.1016/j.pestbp.2020.104598>.
- Li P.-Y., Li L., Wang Y.-Z., 2023. Traditional uses, chemical compositions and pharmacological activities of *Dendrobium*: A review. *Journal of Ethnopharmacology*, 310: 116382, <https://doi.org/10.1016/j.jep.2023.116382>.
- Liang J., Chen S., Hu Y., Yang Y., Yuan J., Wu Y., Li S., Lin J., He L., Hou S., Zhou L., Huang S., 2018. Protective roles and mechanisms of *Dendrobium officinale* polysaccharides on secondary liver injury in acute colitis. *International Journal of Biological Macromolecules*, 107: 2201-2210.
- Liang J., Li H., Chen J., He J., Du X., Zhou L., Xiong Q., Lai X., Yang Y., Huang S., Hou S., 2019a. *Dendrobium officinale* polysaccharides alleviate colon tumorigenesis via restoring intestinal barrier function and enhancing anti-tumor immune response. *Pharmacological Research*, 148: 104417, <https://doi.org/10.1016/j.phrs.2019.104417>.

- Liang J., Wu Y., Yuan H., Yang Y., Xiong Q., Liang C., Li Z., Li C., Zhang G., Lai X., Hu Y., Hou S., 2019b. *Dendrobium officinale* polysaccharides attenuate learning and memory disabilities via anti-oxidant and anti-inflammatory actions. *International Journal of Biological Macromolecules*, 126: 414-426, <https://doi.org/10.1016/j.ijbiomac.2018.12.230>.
- Liang J., Zeng Y., Wang H., Lou W., 2019c. Extraction, purification and antioxidant activity of novel polysaccharides from *Dendrobium officinale* by deep eutectic solvents. *Natural Product Research*, 33(22): 3248-3253, <https://doi.org/10.1080/14786419.2018.1471480>.
- Lin X., Shaw P.-C., Sze S.C.-W., Tong Y., Zhang Y., 2011. *Dendrobium officinale* polysaccharides ameliorate the abnormality of aquaporin 5, pro-inflammatory cytokines and inhibit apoptosis in the experimental Sjogren's syndrome mice. *International Journal of Immunopharmacology*, 11(12): 2025-2032, <https://doi.org/10.1016/j.intimp.2011.08.014>.
- Lin Y., Wang F., Yang L.-J., Chun Z., Bao J.-K., Zhang G.-L., 2013. Anti-inflammatory phenanthrene derivatives from stems of *Dendrobium denneanum*. *Phytochemistry*, 95: 242-251, <https://doi.org/10.1016/j.phytochem.2013.08.008>.
- Lin G., Luo D., Liu J., Wu X., Chen J., Huang Q., Su L., Zeng L., Wang H., Su Z., 2018. Hepatoprotective effect of polysaccharides isolated from *Dendrobium officinale* against acetaminophen-induced liver injury in mice via regulation of the Nrf2-Keap1 signaling pathway. *Oxidative Medicine and Cellular Longevity*, 2018: 6962439, doi: 10.1155/2018/6962439.
- Liu J., Li Y., Liu W., Qi Q., Hu X., Li S., Lei J., Rong L., 2019. Extraction of polysaccharide from *Dendrobium nobile* Lindl. by subcritical water extraction. *ACS Omega*, 4: 20586-20594.
- Liu D., Dong Z., Xiang F., et al., 2020. *Dendrobium* alkaloids promote neural function after cerebral ischemia-reperfusion injury through inhibiting pyroptosis induced neuronal death in both *in vivo* and *in vitro* models. *Neurochemical Research*, 45(2): 437-454, <https://doi.org/10.1007/s11064-019-02935-w>.
- Liu B., Li Q.-M., Shang Z.Z., Zha X.-Q., Pan L.-H., Luo J.P., 2021a. Anti-gastric cancer activity of cultivated *Dendrobium huoshanense* stem polysaccharide in tumor-bearing mice: Effects of molecular weight and *O*-acetyl group. *International Journal of Biological Macromolecules*, 192: 590-599, <https://doi.org/10.1016/j.ijbiomac.2021.10.016>.
- Liu L., Xiang H., Shen H., Dong Y., Sun X., Cai Y., Fan H., 2021b. Effects of low phosphorus stress on the main active ingredients and antioxidant activities of *Dendrobium officinale*. *Industrial Crops and Products*, 173: 114095, <https://doi.org/10.1016/j.indcrop.2021.114095>.
- Luo A.-X., He X.-J., Zhou S.D., Fan Y., He T., Chun Z., 2009. *In vitro* antioxidant activities of a water-soluble polysaccharide derived from *Dendrobium nobile* Lindl. extracts. *International Journal of Biological Macromolecules*, 45(4): 359-363, <https://doi.org/10.1016/j.ijbiomac.2009.07.008>.
- Luo A.-X., He X.-J., Zhou S.D., Fan Y., Luo A.-S., Chun Z., 2010. Purification, composition analysis and antioxidant activity of the polysaccharides from *Dendrobium nobile* Lindl. *Carbohydrate Polymers*, 79(4): 1014-1019, <https://doi.org/10.1016/j.carbpol.2009.10.033>.
- Luo Q.L., Tang Z.-H., Zhang X.-F., Zhong Y.-H., Yao S.-Z., Wang L.-S., Lin C.-W., Luo X., 2016. Chemical properties and antioxidant activity of a water-soluble polysaccharide from *Dendrobium officinale*. *International Journal of Biological Macromolecules*, 89: 219-227, <https://doi.org/10.1016/j.ijbiomac.2016.04.067>.
- Marmitt D., Shahrajabian M.H., 2021. Plant species used in Brazil and Asia regions with toxic properties. *Phytotherapy Research*, 2021(2): 1-24, <https://doi.org/10.1002/ptr.7100>.
- Moretti M., Cossignani L., Messina F., Dominici L., Villarini M., Curini M., Marcotullio M.C., 2013. Antigenotoxic effect, composition and antioxidant activity of *Dendrobium speciosum*. *Food Chemistry*, 140(4): 660-665, <https://doi.org/10.1016/j.foodchem.2012.10.022>.
- Nie J., Tian Y., Zhang Y., et al., 2016. *Dendrobium alkaloids* prevent A $\beta_{25-35}$ -induced neuronal and synaptic loss via promoting neurotrophic factors expression in mice. *PeerJ*, 4: e2739, <https://doi.org/10.7717/peerj.2739>.
- Nie J., Jiang L.S., Zhang Y., Tian Y., Li L.S., Lu Y.L., Yang W.J., Shi J.S., 2018. *Dendrobium nobile* Lindl. alkaloids decreases the level of intracellular  $\beta$ -amyloid by improving impaired autolysosomal proteolysis in APP/PS1 mice. *Frontiers in Pharmacology*, 9: 1479, <https://doi.org/10.3389/fphar.2018.01479>.
- Nie X., Chen Y., Li W., Lu Y., 2020. Anti-aging properties of *Dendrobium nobile* Lindl.: From molecular mechanisms to potential treatments. *Journal of Ethnopharmacology*, 2020: 112839, doi: 10.1016/j.jep.2020.112839.
- Pan L.H., Lu J., Luo J.P., Zha X.Q., Wang J.H., 2012. Preventive effect of a galactoglucomannan (GGM) from *Dendrobium huoshanense* on selenium-induced liver injury and fibrosis in rats. *Experimental and Toxicologic Pathology*, 64: 899-904, <https://doi.org/10.1016/j.etp.2011.04.001>.
- Pan L.H., Li X.F., Wang M.N., Zha X.Q., Yang X.F., Liu Z.J., Luo Y.B., Luo J.P., 2014. Comparison of hypoglycemic and antioxidative effects of polysaccharides from four different *Dendrobium* species. *International Journal of Biological Macromolecules*, 64: 420-427, <https://doi.org/10.1016/j.ijbiomac.2013.12.024>.
- Paudel M.R., Joshi P.R., Chand K., Sah A.K., Acharya S., Pant B., Pant B., 2020. Antioxidant, anticancer and antimicrobial effects of *In vitro* developed protocorms of *Dendrobium longicornu*. *Biotechnology Reports*, 28: e00527, <https://doi.org/10.1016/j.btre.2020.e00527>.
- Paul P., Kumaria S., 2020. Precursor-induced bioaccumulation of secondary metabolites and antioxidant activity in suspension cultures of *Dendrobium fimbriatum*, an orchid of therapeutic importance. *South African Journal of Botany*, 135: 137-143, <https://doi.org/10.1016/j.sajb.2020.08.016>.
- Qu J., Tan S., Xie X., et al., 2021. *Dendrobium officinale* polysaccharide attenuates insulin resistance and abnormal lipid metabolism in obese mice. *Frontiers in Pharmacology*, 12: 659626, <https://doi.org/10.3389/fphar.2010.659626>.
- Rahamtulla M., Mallikarjuna K., Khasim S.M., 2023. GC-MS analysis and therapeutic importance of leaf extracts of *Dendrobium aphyllum* (Roxb.) C.E.C. Fischer: An *in vitro* study. *South African Journal of Botany*, 153: 62-76, <https://doi.org/10.1016/j.sajb.2022.12.011>.
- Sandrasagar U.M., Subramaniam S., Murugaiyah V., 2014. New perspective of *Dendrobium crumenatum* orchid for antimicrobial activity against selected pathogenic bacteria. *Pakistan Journal of Botany*, 46(2): 719-724.
- Shahrajabian M.H., Sun W., Cheng Q., 2020a. Chemical components and pharmacological benefits of Basil (*Ocimum*

- basilicum*): a review. International Journal of Food Properties, 23(1): 1961-1970, <https://doi.org/10.1080/10942912.2020.1828456>.
- Shahrajabian M.H., Sun W., Cheng Q., 2020b.** Traditional herbal medicine for the prevention and treatment of cold and flu in the autumn of 2020, overlapped with Covid-19. Natural Product Communications, 15(8): 1-10, <https://doi.org/10.1177/1934578X20951431>.
- Shahrajabian M.H., Sun W., Soleymani A., Cheng Q., 2020c.** Traditional herbal medicines to overcome stress, anxiety and improve mental health in outbreaks of human coronaviruses. Phytotherapy Research, 2020(1): 1-11, <https://doi.org/10.1002/ptr.6888>.
- Shahrajabian M.H., 2021.** Medicinal herbs with anti-inflammatory activities for natural and organic healing. Current Organic Chemistry, 25(23): 1-17, <https://doi.org/10.2174/1385277282566621110115656>.
- Shahrajabian M.H., Chaski C., Polyzos N., Petropoulos S.A., 2021a.** Biostimulants application: A low input cropping management tool for sustainable farming of vegetables. Biomolecules, 11(5): 698, <https://doi.org/10.3390/biom11050698>.
- Shahrajabian M.H., Chaski C., Polyzos N., Tzortzakos N., Petropoulos S.A., 2021b.** Sustainable agriculture systems in vegetable production using chitin and chitosan as plant biostimulants. Biomolecules, 11(6): 819, <https://doi.org/10.3390/biom11060819>.
- Shahrajabian M.H., Sun W., Cheng Q., 2021c.** Molecular breeding and the impacts of some important genes families on agronomic traits, a review. Genetic Resource and Crop Evolution, 68(3): 1709-1730, <https://doi.org/10.1007/s10722-021-01148-x>.
- Shahrajabian M.H., Sun W., Cheng Q., 2021d.** Different methods for molecular and rapid detection of human novel coronavirus. Current Pharmaceutical Design, 27: 1-10, <https://doi.org/10.2174/1381612827666210604114411>.
- Shahrajabian M.H., Sun W., 2022.** Medicinal plants, economical and natural agents with antioxidant activity. Current Nutrition and Food Science, 2022: 18, <https://doi.org/10.2174/1573401318666221003110058>.
- Shahrajabian M.H., Cheng Q., Sun W., 2022a.** The most important medicinal herbs and plants in traditional Chinese and Iranian medicinal sciences with antioxidant activities. Letters in Drug Design and Discovery, 2022: 19(9), <https://doi.org/10.2174/1570180819666220414102700>.
- Shahrajabian M.H., Sun W., Cheng Q., 2022b.** The importance of flavonoids and phytochemicals of medicinal plants with antiviral activities. Mini-Reviews in Organic Chemistry, 19(3): 293-318, <https://doi.org/10.2174/1570178618666210707161025>.
- Shahrajabian M.H., Sun W., 2023a.** Importance of thymoquinone, sulforaphane, phloretin, and epigallocatechin and their health benefits. Letters in Drug Design and Discovery, 2023: 19, <https://doi.org/10.2174/1570180819666220902115521>.
- Shahrajabian M.H., Sun W., 2023b.** Mechanism of action of collagen and epidermal growth factor: A review on theory and research methods. Mini-Reviews in Medicinal Chemistry, 2023: 23, <https://doi.org/10.2174/1389557523666230816090054>.
- Shahrajabian M.H., Sun W., 2023c.** Study of different types of fermentation in wine-making process and considering aromatic substances and organic acid. Current Organic Synthesis, 2023: 20, <https://doi.org/10.2174/1570179420666230803102253>.
- Shahrajabian M.H., Sun W., 2023d.** Survey on medicinal plants and herbs in traditional Iranian medicine with anti-oxidant, anti-viral, anti-microbial, and anti-inflammation properties. Letters in Drug Design and Discovery, 2023: 19, <https://doi.org/10.2174/1570180819666220816115506>.
- Shahrajabian M.H., Sun W., 2023e.** The important nutritional benefits and wonderful health benefits of cashew (*Anacardium occidentale* L.). Natural Product Journal, 13(4): 2-10, <https://doi.org/10.2174/2210315512666220427113702>.
- Shahrajabian M.H., Petropoulos S.A., Sun W., 2023.** Survey of the influences of microbial biostimulants on horticultural crops: Case studies and successful paradigms. Horticulturae, 9(193): 1-24, <https://doi.org/10.3390/horticulturae9020193>.
- Shang Z.-Z., Qin D.-Y., Li Q.-M., Zha X.-Q., Pan L.-H., Peng D.-Y., Luo J.-P., 2021.** *Dendrobium huoshanense* stem polysaccharide ameliorates rheumatoid arthritis in mice via inhibition of inflammatory signaling pathways. Carbohydrate Polymer, 258: 117657, <https://doi.org/10.1016/j.carbpol.2021.117657>.
- Silva J., Alves C., Martins A., et al., 2021.** Loliolide, a new therapeutic option for neurological diseases? In vitro neuroprotective and anti-inflammatory activities of a monoterpenoid lactone isolated from *Codium tomentosum*. International Journal of Molecular Sciences, 22(4): 1888, <https://doi.org/10.3390/ijms22041888>.
- Song J.I., Kang Y.J., Yong H.Y., Kim Y.C., 2012.** Denbinobin, a phenanthrene from *Dendrobium nobile*, inhibits invasion and induces apoptosis in SNU-484 human gastric cancer cells. Oncology Reports, 27: 813-818.
- Sun W., Shahrajabian M.H., Cheng Q., 2021a.** Barberry (*Berberis vulgaris*), a medicinal fruit and food with traditional and modern pharmaceutical uses. Israel Journal of Plant Science, 68(1-2): 1-11, <https://doi.org/10.1163/22238980-bja10019>.
- Sun W., Shahrajabian M.H., Cheng Q., 2021b.** Fenugreek cultivation with emphasis on historical aspects and its uses in traditional medicine and modern pharmaceutical science. Mini-Review in Medicinal Chemistry, 21(6): 724-730, <https://doi.org/10.2174/1389557520666201127104907>.
- Sun W., Shahrajabian M.H., Cheng Q., 2021c.** Natural dietary and medicinal plants with anti-obesity therapeutics activities for treatment and prevention of obesity during lock down and in post-Covid-19 era. Applied Science, 11(17): 7889, <https://doi.org/10.3390/app11177889>.
- Sun W., Shahrajabian M.H., Li M., 2022a.** Research progress of fermented functional foods and protein factory-microbial fermentation technology. Fermentation, 8(12): 688, <https://doi.org/10.3390/fermentation8120688>.
- Sun C., Zhang N., Xu G., Jiang P., Huang S., Zhao Q., He Y., 2022b.** Anti-tumor and immunomodulation activity of polysaccharides from *Dendrobium officinale* in S180 tumor-bearing mice. Journal of Functional Foods, 94: 105105, <https://doi.org/10.1016/j.jff.2022.10105>.
- Sun W., Shahrajabian M.H., 2023a.** The application of arbuscular mycorrhizal fungi as microbial biostimulant, sustainable approaches in modern agriculture. Plants, 12(17): 3101, <https://doi.org/10.3390/plants12173101>.
- Sun W., Shahrajabian M.H., 2023b.** Therapeutic potential of phenolic compounds in medicinal plants-natural health products for human health. Molecules, 28(1845): 1-45, <https://doi.org/10.3390/molecules28041845>.
- Tian C.-C., Zha X.-Q., Pan L.-H., Luo J.-P., 2013.** Structural characterization and antioxidant activity of a low-molecular



- polysaccharide from *Dendrobium huoshanense*. *Fitoterapia*, 91: 247-255, <https://doi.org/10.1016/j.fitote.2013.09.018>.
- Wang J.H., Zha X.Q., Feng B.J., 2010.** Comparison or antitumor activities of different polysaccharide fractions from the stems of *Dendrobium nobile* Lindl. *Carbohydrate Polymer*, 79: 114-118.
- Wang D., Zhao N., Zhang T., Xu H., 2012.** Study on the chemical constituents of *Dendrobium officinale*. *Chinese Journal of Traditional Herb and Drugs*, 43: 1492-1495.
- Wang X.Y., Luo J.P., Chen R., Zha X.Q., Wang H., 2014.** The effects of daily supplementation of *Dendrobium huoshanense* polysaccharide on ethanol-induced subacute liver injury in mice by proteomic analysis. *Food and Function*, 5: 2020-2035.
- Wang X.Y., Luo J.P., Chen R., Zha X.Q., Pan L.H., 2015.** *Dendrobium huoshanense* polysaccharide prevents ethanol-induced liver injury in mice by metabolomic analysis. *International Journal of Biological Macromolecules*, 78: 354-362.
- Wang Y.H., Avula B., Abe N., Wei F., Wang M., Ma S.C., Ali Z., Elsohly I., Khan A., 2016.** Tandem mass spectrometry for structural identification of sesquiterpene alkaloids from the stems of *dendrobium nobile* using LC-QToF. *Planta Medica*, 82: 662-670.
- Wang S.S., Liu J.-M., Sun J., Sun Y.-F., Liu J.-N., Jia N., Fan B., Dai X.-F., 2019.** Diversity of culture-independent bacteria and antimicrobial activity culturable endophytic bacteria isolated from different *Dendrobium* stems. *Scientific Reports*, 9: 10389, <https://doi.org/10.1038/s41598-019-46863-9>.
- Wang K., Yang X., Wu Z., Wang H., Li Q., Mei H., You R., Zhang Y., 2020.** *Dendrobium officinale* polysaccharide protected CCl<sub>4</sub>-induced liver fibrosis through intestinal homeostasis and the LPS-TLR4-NF-κB signaling pathway. *Frontiers in Pharmacology*, 11: 240, <https://doi.org/10.3389/fphar.2020.00240>.
- Wang Y.-H., 2021.** Traditional uses, chemical constituents, pharmacological activities, and toxicological effects of *Dendrobium* leaves: A review. *Journal of Ethnopharmacology*, 270: 113851, <https://doi.org/10.1016/j.jep.2021.113851>.
- Wang H.-Y., Ge J.-C., Zhang F.-Y., Zha X.-Q., Liu J., Li Q.-M., Luo J.-P., 2022a.** *Dendrobium officinale* polysaccharide promotes M1 polarization of TAMs to inhibit tumor growth by targeting TLR2. *Carbohydrate Polymer*, 292: 119683, <https://doi.org/10.1016/j.carbpol.2022.119683>.
- Wang K.W., Yang C., Yan S.-N., Wang H., Cao X.-J., Cheng Y., 2022b.** *Dendrobium hancockii* polysaccharides, structure characterization, modification, antioxidant and antibacterial activity. *Industrial Crops and Products*, 188(Part A): 115565, <https://doi.org/10.1016/j.indcrop.2022.115565>.
- Wang F., Wan J., Liao Y., Liu S., Wei Y., Ouyang Z., 2023.** *Dendrobium* species regulate energy homeostasis in neurodegenerative disease: a review. *Food Science and Human Wellness*, 12: 2151-2174, <https://doi.org/10.1016/j.fshw.2023.03.029>.
- Wu J., Maoqiang L., Fan H., et al., 2016a.** Rutin attenuates neuroinflammation in spinal cord injury rats. *Journal of Surgical Research*, 203(2): 331-337, <https://doi.org/10.1016/j.jss.2016.02.041>.
- Wu L.H., Lin C., Lin H.Y., et al., 2016b.** Naringenin suppresses neuroinflammatory responses through inducing suppressor of cytokine signaling 3 expression. *Molecular Neurobiology*, 53(2): 1080-1091, <https://doi.org/10.1007/s12035-014-9042-9>.
- Wu L.-S., Jia M., Chen L., Zhu B., Dong H.-X., Si J.-P., Peng W., Han T., 2016c.** Cytotoxic and antifungal constituents isolated from the metabolites of endophytic fungus DO14 from *Dendrobium officinale*. *Molecules*, 21(1): 14, <https://doi.org/10.3390/molecules21010014>.
- Wu Y.L., Huang S.H., He C.M., Qiu B., Liu J.J., Li J., Lin Y., Yu S.L., Wang H.F., Zhang G.F., 2020.** *Dendrobium officinale* flower extraction mitigates alcohol-induced liver injury in mice: role of antisteatosis, antioxidative, and anti-inflammatory. *Evidence-Based Complementary and Alternative Medicine*, 2020(1853): 142, doi: [10.1155/2020/1421853](https://doi.org/10.1155/2020/1421853).
- Wu W., Lin Y., Farag M.A., Li Z., Shao P., 2023.** *Dendrobium* as a new natural source of bioactive for the prevention and treatment of digestive tract diseases: A comprehensive review with future perspectives. *Phytomedicine*, 114: 154784, <https://doi.org/10.1016/j.phymed.2023.154784>.
- Xiang Y., Chen X., Wang W., et al., 2021.** Natural product erianin inhibits bladder cancer cell growth by inducing ferroptosis via NLRP3 inactivation. *Frontiers in Pharmacology*, 12: 775506, <https://doi.org/10.3389/fphar.2021.775506>.
- Xing S., Yu W., Zhang X., Luo Y., Lei Z., Huang D., Lin J., Huang Y., Huang S., Nong F., Zhou C., Wei G., 2018.** Isoviolanthin extracted from *Dendrobium officinale* reverses TGF-β1-mediated epithelial-mesenchymal transition in hepatocellular carcinoma cells via deactivating the TGF-β/Smad and PI3K/Akt/mTOR signaling pathways. *International Journal of Molecular Sciences*, 19: 1556, doi: [10.3390/ijms19061556](https://doi.org/10.3390/ijms19061556).
- Yang L., Qin L.-H., Bligh S.W.A., Bashall A., Zhang C.-F., Zhang M., Wang Z.-T., Xu L.-S., 2006.** A new phenanthrene with a spiro lactone from *Dendrobium chrysanthum* and its anti-inflammatory activities. *Bioorganic and Medicinal Chemistry*, 14(10): 3496-3501, <https://doi.org/10.1016/j.bmc.2006.01.004>.
- Yang H., Sung S.H., Kim Y.C., 2007.** Antifibrotic phenanthrenes of *Dendrobium nobile* stems. *Journal of Natural Product*, 70: 1925-1929.
- Yang L.C., Lu T.J., Hsieh C.C., Lin W.C., 2014.** Characterization and immunomodulatory activity of polysaccharides derived from *Dendrobium tosaense*. *Carbohydrate Polymer*, 111: 856-863.
- Yang J., Chen H., Nie Q., Huang X., Nie S., 2020a.** *Dendrobium officinale* polysaccharide ameliorates the liver metabolism disorders of type II diabetic rats. *International Journal of Biological Macromolecules*, 164: 1939-1948.
- Yang K., Zhang L., Lu T., Zhou C., Chen X., Dong Y., Lv G., Chen S., 2020b.** *Dendrobium officinale* polysaccharides protected against ethanol-induced acute liver injury *in vivo* and *in vitro* via the TLR4/NF-κB signaling pathway. *Cytokine*, 130: 155058.
- Ye Q., Zhao W., 2002.** New alloaromaendrane, cadinene and cyclocopacamphane type sesquiterpene derivatives and bibenzyls from *Dendrobium nobile*. *Planta Medica*, 68: 723-729.
- Ye G., Li J., Zhang J., Liu H., Ye Q., Wang Z., 2021.** Structural characterization and antitumor activity of a polysaccharide from *Dendrobium waradianum*. *Carbohydrate Polymer*, 269: 118253, <https://doi.org/10.1016/j.carbpol.2021.118253>.
- Yoon M.Y., Hwang J.H., Park J.H., et al., 2011.** Neuroprotective effects of SG-168 against oxidative stress-induced apoptosis in PC12 cells. *Journal of Medicinal Food*, 14(1/2): 120-127, <https://doi.org/10.1089/jmf.2010.1027>.
- Zeng Q., Ko C.-H., Siu W.-S., Li K.K., Wong C.-W., Han X.-Q., Yang L., Lau C.B.-C., Hu J.-M., Leung P.-C., 2018.** Inhibitory effect of different *Dendrobium* species on LPS-induced

- inflammation in macrophages via suppression of MAPK pathways. *Chinese Journal of Natural Medicines*, 16(7): 481-489, [https://doi.org/10.1016/S1875-5364\(18\)30083-9](https://doi.org/10.1016/S1875-5364(18)30083-9).
- Zhang X., Xu J.K., Wang J., Wang N.L., Kurihara H., Kitanaka S., Yao X.S., 2007.** Bioactive bibenzyl derivatives and fluorenones from *Dendrobium nobile*. *Journal of Natural Products*, 70: 24-28.
- Zhang X., Xu J., Wang N., Hiroshi K., Yao X., 2008a.** Antioxidant phenanthrenes and lignans from *Dendrobium nobile*. *Journal of Chinese Pharmaceutical Sciences*, 17: 314-318.
- Zhang X., Xu J., Wang N., Hiroshi K., Yao X., Wang Z., 2008b.** Studies on antioxidant activity of bibenzyls and phenolic components from *Dendrobium nobile*. *Chinese Pharmaceutical Journal*, 43: 829-832.
- Zhang Y., Zhang L., Liu J., Liang J., Si J., Wu S., 2017.** *Dendrobium officinale* leaves as a new antioxidant source. *Journal of Functional Foods*, 37: 400-415, <https://doi.org/10.1016/j.jff.2017.08.006>.
- Zhang Y., Wang H., Mei N., Ma C., Lou Z., Lv W., He G., 2018.** Protective effects of polysaccharide from *Dendrobium nobile* against ethanol-induced gastric damage in rats. *International Journal of Biological Macromolecules*, 107: 230-235.
- Zhang L., Peng H., Xu J., et al., 2019a.** Effects of *Dendrobium officinale* polysaccharides on brain inflammation of epileptic rats. *International Journal of Polymer Science*, 2019: 1-6, <https://doi.org/10.1155/2019/9058161>.
- Zhang X., Zhang S., Gao B., Qian Z., Liu J., Wu S., Si J., 2019b.** Identification and quantitative analysis of phenolic glycosides with antioxidant activity in methanolic extract of *Dendrobium catenatum* flowers and selection of quality control herb-markers. *Food Research International*, 123: 732-745, <https://doi.org/10.1016/j.foodres.2019.05.040>.
- Zhang Y., Luo J., Zhang Q., Lu J., 2019c.** The structure-activity relationship and molecular mechanism of anti-tumor polysaccharide isolated from *Dendrobium nobile* Lindl. *Current Topics in Nutraceutical Research*, 17: 153-163.
- Zhang Q., Li J., Luo M., Xie G.Y., Zeng W., Wu Y., Zhu Y., Yang X., Guo A.Y., 2020.** Systematic transcriptome and regulatory network analyses reveal the hypoglycemic mechanism of *Dendrobium fimbriatum*. *Molecular Therapy. Nucleic Acids*, 19: 1-14, <https://doi.org/10.1016/j.omtn.2019.10.033>.
- Zhang X., Hu L., Xu S., et al., 2021.** Erianin: a direct NLRP3 inhibitor with remarkable anti-inflammatory activity. *Frontiers in Immunology*, 12: 739953, <https://doi.org/10.3389/fimmu.2021.739953>.
- Zhang Z.-M., Liu S., Wang N., Zou Y.-H., Zhuang P.-Y., Wang X.-X., Liu H., 2022.** Chemical constituents from *Dendrobium chrysanthum* and their chemotaxonomic significance. *Biochemical Systematics and Ecology*, 105: 104522, <https://doi.org/10.1016/j.bse.2022.104522>.
- Zhang H., Shahrajabian M.H., Cui H., Kuang Y., Sun W., 2024.** Novel aspects and directions in pest control and management-proteins with insecticidal properties. *Current Green Chemistry*, 11(3): 272-285, <https://doi.org/10.2174/0122133461275040231026045521>.
- Zhao W., Ye Q., Tan X., Jiang H., Li X., Chen K., Kinghorn A.D., 2001.** Three new sesquiterpene glycosides from *Dendrobium nobile* with immunomodulatory activity. *Journal of Natural Product*, 64: 1196-1200.
- Zheng H., Pan L., Xu P., Zhu J., Wang R., Zhu W., Hu Y., Gao H., 2017.** An NMR-based metabolomic approach to unravel the preventive effect of water-soluble extract from *Dendrobium officinale* Kimura & Migo on streptozotocin-induced diabetes in mice. *Molecules*, 22: 1543, doi: [10.3390/molecules22091543](https://doi.org/10.3390/molecules22091543).
- Zheng S., Hu Y., Zhao R., Zhao Y., Li H., Rao D., Chun Z., 2020.** Quantitative assessment of secondary metabolites and cancer cell inhibiting activity by high performance liquid chromatography fingerprinting in *Dendrobium nobile*. *Journal of Chromatography B*, 1140: 122017, doi: [10.1016/j.jchromb.2020.122017](https://doi.org/10.1016/j.jchromb.2020.122017).
- Zhou X.M., Zheng C.J., Gan L.S., Chen G.Y., Zhang X.P., Song X.P., Li G.N., Sun C.G., 2016.** Bioactive phenanthrene and bibenzyl derivatives from the stems of *Dendrobium nobile*. *Journal of Natural Product*, 79: 1791-1797.
- Zhou J., Zhang Y., Li S., Zhou Q., Lu Y., Shi J., Liu J., Wu Q., Zhou S., 2020.** *Dendrobium nobile* Lindl. alkaloids-mediated protection against CCl<sub>4</sub>-induced liver mitochondrial oxidative damage is dependent on the activation of Nrf2 signaling pathway. *Biomedicine and Pharmacotherapy*, 129: 110351, doi: [10.1016/j.biopha.2020.110351](https://doi.org/10.1016/j.biopha.2020.110351).
- Zhu Y., Liu M., Cao C., et al., 2021.** *Dendrobium officinale* flos increases neurotrophic factor expression in the hippocampus of chronic unpredictable mild stress-exposed mice and in astrocyte primary culture and potentiates NGF-induced neuronal differentiation in PC12 cells. *Phytotherapy Research*, 35(5): 2665-2677, <https://doi.org/10.1002/ptr.7013>.

---

Author	ORCID
Mohamad Hesam Shahrajabian	0000-0002-8638-1312

received 23 September 2024

reviewed 13 October 2024

accepted 29 October 2024

Authors declare no conflict of interest.

---